

SOCKETS

1/4"

1000V

EGA Master offers a wide range of 1000V insulated sockets, both short range and long series offering in turn a large number of additional items, such as adapters, articulated handles, extensions, ratchets, etc.

There are ranges of 1/4", 3/8" and 1/2" square driver for the most demanding professionals.

*both in
mm and
inches*



1. Sockets with 6 and 12 edges both in mm and in inches to suit user's needs.



2. Made of chrome-vanadium steel, designed to support high torques with minimum wear out, providing greater durability.

3. The insulation provides maximum adherence and safety against unforeseen circumstances.


4. Un-erasable laser marking.

 **1.000V**
IEC 60900

STANDARD

MM


6 PT.



COD.	AF mm	L (mm)	A (mm)	B (mm)	C (mm)	Pt	g	
73230	4		11					
73228	4,5							
73231	5		12					
73229	5,5							
73232	6		13		11	15		
73233	7		14					
73234	8	42	16	18		6		10
73235	9		17					
73236	10		18				25	
73237	11		19					
73238	12		21		15		30	
73239	13		22					
73240	14		23				35	

1000V I IEC 60900

12 PT.




COD.	AF mm	L (mm)	A (mm)	B (mm)	C (mm)	Pt	g	
73241	4		11					
73242	4,5							
74885	5		12					
74886	5,5							
74887	6		13		11	15		
74888	7		14					
74889	8	42	16	18		12		10
74890	9		17					
74891	10		18				25	
74892	11		19					
74893	12		21		15		30	
74894	13		22					
74895	14		23				35	

1000V I IEC 60900

INCH


6 PT.



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	Pt	g	
73366	5/32		11					
73367	3/16						15	
73368	7/32		12					
73369	1/4		13				17	
73370	9/32		14		11			
73371	5/16	42	16	18		6	19	10
73372	11/32		17				23	
73373	3/8		18				27	
73374	7/16		20				29	
73377	15/32		21		15		30	
73375	1/2		22					
73376	9/16		23				35	

1000V I IEC 60900

12 PT.



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	Pt	g	
73365	5/32		11					
74900	3/16						15	
74901	7/32		12					
74902	1/4		13				17	
74903	9/32		14		11			
74904	5/16	42	16	18		12	19	10
74905	11/32		17				23	
74906	3/8		18				27	
74907	7/16		20				29	
74910	15/32		21		15		30	
74908	1/2		22					
74909	9/16		23				35	

1000V I IEC 60900


TECHNICAL SPECIFICATIONS

MATERIAL	Socket wrench: Cr-V Insulation: PP
FINISH	Insulation orange color RAL 2009
HARDNESS	39 HRC

LONG SOCKET

MM

6 PT.




COD.	AF mm	L (mm)	A (mm)	B (mm)	Pt	g	
75050	4		7,5				
75051	4,5		8,0				
75052	5		9,0	8,0			
75053	5,5		10			33	
75054	6		11				
75055	7		12	10			
75056	8	48	12	10	6	35	10
75057	9		14			42	
75058	10		15			46	
75059	11		17			50	
75060	12		17	12		55	
75061	13		18				
75062	14		20			65	

1000V I IEC 60900

INCH


6 PT.



COD.	AF inch	L (mm)	A (mm)	B (mm)	Pt	g	
75085	3/16		9,0				
75086	7/32		10	8,0			
75087	1/4		11				
75088	9/32		13	10		35	
75089	5/16	48	13	10	6	42	10
75090	11/32		14			47	
75091	3/8		14			50	
75092	7/16		17			55	
75093	1/2		19	12			
75094	9/16		21			65	

1000V I IEC 60900


12 PT.



COD.	AF mm	L (mm)	A (mm)	B (mm)	Pt	g	
75070	5		9,0				
75071	5,5		10	8,0			
75072	6		11			33	
75073	7		12	10			
75074	8		12	10		35	
75075	9	48	14		12	42	10
75076	10		15			46	
75077	11		17			50	
75078	12		17	12		55	
75079	13		18				
75080	14		20			65	

1000V I IEC 60900

12 PT.



COD.	AF inch	L (mm)	A (mm)	B (mm)	Pt	g	
75100	5/32		7,0				
75101	3/16		9,0	8,0			
75102	7/32		10			33	
75103	1/4		11				
75104	9/32		13	10		35	
75105	5/16	48	13	10	12	42	10
75106	11/32		14			46	
75107	3/8		14			50	
75108	7/16		17			55	
75109	1/2		19	12			
75110	9/16		21			65	

1000V I IEC 60900

TORX®

COD.		g	
36981	E4	15	
36990	E5	16	25
36991	E6	17	



*For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)

TECHNICAL SPECIFICATIONS

MATERIAL	Socket wrench: Cr-V Insulation: PVC
FINISH	Insulation orange color
MINIMUM HARDNESS	39 HRC

SOCKET BITS

HEXAGONAL

COD.	AF mm	g		
73250	3	16		
73251	4	18		
73252	5	20	10	•
73253	6	22		
73254	7	24		

△ 1000V I IEC 60900



HEXAGONAL LONG

COD.	AF mm	g		
79938	3	50	10	•

△ 1000V I IEC 60900



TORX®


COD.		L (mm)	g		
79495	T-20		20	10	•
79496	T-25	55			
79497	T-30		25		



REVERSIBLE RATCHET HANDLE

COD.	AF inch	L (mm)	g		
73687	1/4	124	140	6	•

△ 1000V I IEC 60900



RALLONGE

COD.	AF inch	L (mm)	g		
73244		50	28		
73245	1/4	100	52	5	•
75204		150	80		

△ 1000V I IEC 60900



EXTENSION WITH HANDLE

COD.	AF inch	L (mm)	g		
73256	1/4	270	150	5	•

△ 1000V I IEC 60900



HANDLE

COD.	AF inch	L (mm)	g		
73243	1/4	170	140	6	•

△ 1000V I IEC 60900



ADAPTER

COD.	AF inch	g		
79922	1/4-3/8	30	5	•


△ 1000V I IEC 60900



SOCKET WRENCHES SETS

6 PCS.

STANDARD




COD.	PCS.	AF inch	AF mm	Sizes in		
79067	6	1/4	8-10-12-13	mm	51079	850

PCS.	Composition	Description	
1	73687	Ratchet	1000V
4	73234, 73236, 73238, 73239	Sockets	
1	73252	Hexagonal sockets	

10 PCS.

STANDARD




COD.	PCS.	AF inch	AF mm	Sizes in		
79475	10	1/4	3/16-1/4-5/16-3/8-7/16-1/2-9/16	inch	51079	1

PCS.	Composition	Description	
1	73687	Ratchet	1000V
2	73244, 73245	Extension	
7	73367, 73369, 73371, 73373, 73374, 73375, 73376	Sockets	

11 PCS.


STANDARD



COD.	PCS.	AF inch	AF mm	Sizes in		
79068	11	1/4	6-7-8-9-10-11-12-13-14	mm	51079	950

PCS.	Composition	Description	
1	73687	Ratchet	1000V
9	73232, 73233, 73234, 73235, 73236, 73237, 73238, 73239, 73240	Sockets	
1	73252	Hexagonal sockets	

LONG SOCKET




COD.	PCS.	AF inch	AF mm	Sizes in		
79476	10	1/4	3/16-1/4-5/16-3/8-7/16-1/2-9/16 (Long pattern)	inch	51079	1,2

PCS.	Composition	Description	
1	73687	Ratchet	1000V
2	73244, 73245	Extension	
7	75085, 75087, 75089, 75091, 75092, 75093, 75094	(L.S.) Sockets	

16 PCS.


STANDARD



COD.	PCS.	AF inch	AF mm	Sizes in		Kg
79069	16	1/4	4-5-6-7-8-9-10-11-12-13-14	mm	51053	1,5
PCS.	Composition	Description				
1	73687	Ratchet				
	73245	Extension				
11	73230, 73231, 73232, 73233, 73234, 73235, 73236, 73237, 73238, 73239, 73240	Sockets	1000V			
3	73251, 73252, 73253	Hexagonal sockets	4-5-6 mm - 1000V			

19 PCS.


STANDARD



COD.	PCS.	AF inch	AF mm	Sizes in		Kg
73014	19	1/4	4-5-6-7-8-9-10-11-12-13-14	mm	51053	2,0
PCS.	Composition	Description				
1	73687	Ratchet				
	73245	Extension				
	73256	Extension with handle				
11	73230, 73231, 73232, 73233, 73234, 73235, 73236, 73237, 73238, 73239, 73240	Sockets	1000V			
5	73250, 73251, 73252, 73253, 73254	Hexagonal sockets	3-4-5-6-7 mm - 1000V			

21 PCS.

LONG SOCKET



COD.	PCS.	AF inch	AF mm	Sizes in		Kg
79070	21	1/4	4-5-6-7-8-9-10-11-12-13-14 (8-10-12-13-14 Long pattern)	mm	51053	1,8
PCS.	Composition	Description				
1	73687	Ratchet				
	73245	Extension				
11	73230, 73231, 73232, 73233, 73234, 73235, 73236, 73237, 73238, 73239, 73240	Sockets	1000V			
5	75056, 75058, 75060, 75061, 75062	(L.S.) Sockets				
3	73251, 73252, 73253	Hexagonal sockets	4-5-6 mm - 1000V			