


HERRAMIENTA PARA MADERA
TOOLS FOR WOOD
OUTILLAGE POUR LE BOIS
WERKZEUGE FÜR HOLZ
UTENSILI PER LEGNO
FERRAMENTAS PARA MADEIRA
ИНСТРУМЕНТ ДЛЯ ДЕРЕВА

24



■ FORMONES / FIRMER CHISELS / CISEAUX À BOIS / STECHBEITEL / SCALPELLI / FORMOES / СТАМЕЦКИ

Hoja de acero especial, rectificada / Precision machined steel blade / En acier special trempé et poli / Geschliffene stechbeitel aus spezialstahl / Lama-inacciaio speciaio rettificata / Lâmina de aço especial rectificada / Стальная режущая часть сверхточной обработки

■ TITACROM® BIMAT

COD.				
67169	6	130	12	●
67170	8	135		
67171	10	140		
67172	12	145		
67173	14	150		
67174	15	155		
67175	16	160		
67176	18	170		
67177	20	175		
67178	22	180		
67179	25	190		
67180	30	200		
67181	32	210		

TITACROM® BIMAT | DIN 5139



■ EXPOSITORES / DISPLAYS / PRESENTOIRS / DISPLAY / ESPOSITORI / EXPOSIÇÃO INDIVIDUAL / СТЕНДЫ

■ TITACROM® BIMAT

■ 60 PCS.

COD.	PCS.
55665	60

PCS.	COD. PCS.	
6	67169	6
	67170	8
	67171	10
	67172	12
	67174	15
	67176	18
	67177	20
	67178	22
	67179	25
	67180	30



■ KITS

■ TITACROM® BIMAT

■ 4 PCS.

COD.	PCS.
69481	4

PCS.	COD. PCS.	
1	67171	10
	67172	12
	67174	15
	67176	18



• Presentador individual / Individual display / Conditionnement unitaire


■ **SARGENTOS / CLAMPS / SERRE-JOINTS / ZWINGEN / MORSETTI SERRAGIUNTI / GRAMPOS / СТРУБИЦЫ**

■ **MOD. G**

COD.	A max (mm)	B (mm)			Kgf* *
69570	50	30	195	6	120
69571	75	52	700		150
69572	100	60	900		255
69574	150	65	1600		355
69575	200	83	1900		400

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Kgf*: fuerza de amarre / Kgf*: fastening force / Kgf*: force de serrage




■ **MOD. F**

COD.	A max (mm)	B (mm)			Kgf*
69580	150	50	450	6	225
69581			600		
69582	200		1000		
69583	250		1150		
69585	300		1600		
69586	400	120	1800	2	600
69588	600		2200		
69589	800		2700		
69590	1000		3000		

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Kgf*: fuerza de amarre / Kgf*: fastening force / Kgf*: force de serrage




■ **FORJADO / FORGED / FORGÉ / GESCHMIEDET / FORGIATO / FORJADO / ЗАКАЛЕННАЯ**

COD.	A max (mm)	B (mm)	C (mm)	D (mm)			Kgf*
69961	250	80	6	15,5	650	6	255
69965					900		
69967					1200		
69968	400	100	9,5	19	1600	2	300
69970	500				1100		
69972	250				1400		
69975	400	120	10	21,5	1900	2	400
69977	800				2900		
69977	1200						

CARACTERÍSTICAS / FEATURES / CARACTÉRISTIQUES

Kgf*: fuerza de amarre / Kgf*: fastening force / Kgf*: force de serrage



BE SAFE...BE EFFICIENT



spie batignolles

SPIE BATIGNOLLES (France)

Guillaume Belibi Eloumou
Supervisor & Chief Operating Officer

"In the Grand Paris project, our collaboration with EGA Master has been a real success. Their one-stopshop approach ensures efficient operations with unmatched lead time. A choice we confidently recommend."